

Datasheet



**Linear Mechanical Screen**

+49 163 7037447

info@ptech-gmbh.com • www.ptech-gmbh.com



## Equipment Description

This product in Ptech GmbH product portfolio is an equipment frequently used for the capture and removal of insoluble coarse particles from the water at the entrance of treatment facilities.

It can be used according to the channel geometry whether as fine or coarse mechanical screen. The screening permeability can range from 5 to 40 mm. It generally operates at a 75° inclined angle.




After manufacturing, installation is carried out rigidly by technical personnel.

## Application Possibilities



- Water Treatment Plant
- Municipal Wastewater Treatment Plant
- Industrial Wastewater Treatment Plant
- Food Industry
- Agricultural Industry
- Water Intake Structures
- Power Plants
- Airports Mechanical

## Material

AISI 304, AISI 316 L veya AISI 316 Ti







# Ptech

ENERGY - WATER - SEWAGE TREATMENT TECHNOLOGY

Umwelttechnik GmbH



+49 163 7037447  
info@ptech-gmbh.com  
Katzwanger Str. 150, 90461  
Nürnberg, Germany

📷 ptechgmbh  
🌐 Ptech Umwelttechnik GmbH  
📺 @PtechGmbH

[www.ptech-gmbh.com](http://www.ptech-gmbh.com)